

Technical Support
Knowledge Center Open

有適用於是德功率錶的儀器驅動
程式嗎？

Notices

© Keysight Technologies Incorporated, 2002-2020

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

Portions of this software are licensed by third parties including open source terms and conditions.

For detail information on third party licenses, see [Notice](#).

有適用於是德功率錶的儀器驅動程式嗎？

Contents

有適用於是德功率錶的儀器驅動程式嗎？

我們有提供 EPM 和 EPM-P 系列功率錶所使用的可換式虛擬儀器 (IVI)-COM 驅動程式。

IVI-COM 設計成可供一般用途的驅動程式，以同時滿足測試系統程式和研發工作平台使用者的需求。

IVI-COM 的主要優勢為，它不僅適用現有標準 PC 電腦，還適用於多種測試系統開發環境 (如 Visual Basic、C++、LabVIEW 和 Keysight VEE)。

如果想了解更多 IVI 和 IVI Foundation 的資訊，請您參考下列網址：[IVI Foundation](#)

此外，我們也提供 EPM 系列功率錶所使用的 Plug&Play 驅動程式，這些驅動程式專門為 Windows 95®、Windows NT® Version 3.51 或更新版本的電腦作業系統所設計。這些驅動程式需要與 VISA 相容的 GPIB 介面和 VISA I/O Library Version 1.1 或更新的版本，由於這些驅動程式的程式設計不是依據您 GPIB 介面的 I/O 程式庫規格而定，因此您的程式碼就變得更容易轉移。

