Technical Support Knowledge Center Open

키사이트 4194A에서 활성 측정 데이터를 얻기 위한 GPIB 명령은 무엇입니까?



Generated on: Apr 12, 2021

## **Notices**

## © Keysight Technologies Incorporated, 2002-2020

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

## Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

Portions of this software are licensed by third parties including open source terms and conditions.

For detail information on third party licenses, see Notice.

## Contents

4194A에서 버스를 통해 활성 측정 데이터를 전송하는 GPIB 명령은 "A?" 또는 "B?"입니다. 이 명령 쿼리는 A와 B를 등록합니다. 4194A는 A를 등록하고 B는 실시간으로 채널 A 및 B 데이터를 저장하는 데 사용합니다.

다음은 애질런트 4194A 분석기에서 게인/위상 데이터를 수집하는 애질런트 VEE Pro 프로그램의 이미지입니다.



