

34401A Trigger count 设置为  
INFinite，如何将触发恢复到闲  
置状态？为什么通过串口发送  
CTRL-C指令不起作用？

# Notices

© Keysight Technologies Incorporated, 2002-2020

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

## Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

**Portions of this software are licensed by third parties including open source terms and conditions.**

**For detail information on third party licenses, see [Notice](#).**

34401A Trigger count 设置为 INFinite , 如何将触发恢复到闲置状态? 为什么通过串口发送CTRL-C指令不起作用?

## Contents

|                                         |   |
|-----------------------------------------|---|
| Frequently Asked Questions (FAQs) ..... | 4 |
| Summary .....                           | 4 |
| Question .....                          | 4 |
| Answer .....                            | 4 |

34401A Trigger count 设置为 INFinite , 如何将触发恢复到闲置状态? 为什么通过串口发送CTRL-C指令不起作用?

## Frequently Asked Questions (FAQs)

### Summary

解释了如何通过串口恢复34401A到空闲状态。

### Question

34401A Trigger count 设置为 INFinite , 如何将触发恢复到闲置状态? 为什么通过串口发送CTRL-C指令不起作用?

### Answer

在VEE中, 使用CTRL-C来终止34401A测试, 恢复到空闲状态。通过串口发送的时候应该发送CTRL-C对应的ASCII码, 对应的字符是'3'。



