

Technical Support
Knowledge Center Open

VEE：我可以將VEE程式當成可執行的程式來執行嗎？

Notices

© Keysight Technologies Incorporated, 2002-2020

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

Portions of this software are licensed by third parties including open source terms and conditions.

For detail information on third party licenses, see [Notice](#).

VEE：我可以將VEE程式當成可執行的程式來執行嗎？

Contents

VEE：我可以將VEE程式當成可執行的程式來執行嗎？

VEE 4.X加入了一種新的運轉時間模式，使VEE程式看起來很像可執行程式。使用者可以用.VXE（VEE eXExecutable）副檔名，來儲存安全的VEE程式；只要在Windows中選取這些程式，它們就會自動執行 - 透過在安裝VEE時所設定的 "veerun.exe" 檔的“關聯”。

特殊情況：

1. VEE使用者想要使用一個指令行選項 "-veeio <filename>"，來指定一個替代的VEE I/O設定檔 -- 但卻發現它適用於原來的.VEE檔案，而不適用於運轉時間的.VXE檔。結果造成了一個困難的設定問題。在程式的開發上，使用者可以從Windows的開始功能表或捷徑叫用 "vee.exe" 檔；只要輕鬆地修改這二者就可加入 "-veeio <filename>" 選項，這對程式開發來說很有用。然而，一旦將程式存成.VXE檔之後，"veerun.exe" 就會透過檔案關聯來自動執行這個程式...因此必須為 "veerun.exe" 應用相同的選項。透過Windows Explorer或Windows MyComputer，都可適度地做一些修改...只要選擇：
View -> Options -> File Types
-- 然後找出 "HP VEE Executable"，並使用 "Edit" 來編輯該項目...您會看到一堆以 "open" 為唯一項目的選擇，所以請依序編輯。如此便可叫用 "veerun.exe"，這時只要稍微修改就可加入 "-veeio <filename>" 選項。從這一刻開始，從Windows叫用的所有.VXE 檔案，都會使用該VEE I/O設定檔。
2. 另一位VEE使用者想要知道，如何執行需要不同的VEE I/O設定檔的運轉時間程式。如果使用者期望只選擇一個.VXE檔，並從比如Windows Explorer執行該檔案，則關聯會以.VXE副檔名為基礎 -- 而且這個關聯永遠會用使用者指定的相同選項來呼叫相同的 "veerun.exe"。在這種情況下，不可能使用不同的設定檔。使用者可以產生像.VX1、.VX2等自訂的副檔名，並分別為它們設定不同的關聯...但這似乎是一個麻煩的解決方案。如果使用者想以不同的選項來執行不同的VEE程式，只要為使用者想要執行的每一個程式設定一個 "veerun.exe" 快捷圖示，並自訂其順序即可。

Copyright © 1991-1999 Hewlett-Packard Company

Revision 1.0 30 Dec 99 djf

